

PROPOSED RESTORATION WORKS TO EXISTING ROOF INCLUDING REPLACEMENT OF EXISTING NATURAL STONE SLATE

RESTORATION OF STONE BARGES, EAVES AND GUTTERS WITH CAST IRON RAINWATER GOODS

PROPOSED RESTORATION OF EXISTING ROSE WINDOW TO STAINED GLASS WITH RE-CASTING OF STONE SUPPORTS

STONE FINISHED STRUCTURE

EXISTING ROOFLINE OF BELLTOWER

14780

2175

PROPOSED SPIRE WITH SLATE FINISH

[illegible]

Architectural drawings of the proposed West Chair and North West Elevation of the Church of the Holy Spirit. The drawings include a side elevation, a cross-section, and a detail of the proposed West Chair.

Side / North West Elevation: This drawing shows the exterior of the church from the side. It features a long, narrow building with a central gable and a tall, narrow tower. The tower has a pointed roof and a small window. The side elevation shows a series of arched windows and a small entrance. Dimensions include 15015 for the tower height, 14785 for the main body width, and 1467 for the side wall height.

Cross Section C-C: This drawing shows a cross-section of the church. It includes the roof, walls, and floor. The interior shows a series of arches and a central aisle. Dimensions include 10820 for the main body width, 1500 for the tower width, and 10820 for the side wall height.

Proposed West Chair: This drawing shows a small, square structure with a gable and a small window. It is located at the base of the main building. Dimensions include 1467 for the side wall height and 14785 for the main body width.

Text Annotations:

- INTERNAL WALLS OF CHURCH TO HAVE NEW PAINTED FINISH, BREATHABLE PAINT AS PER RECOMMENDATIONS
- THREE CEILING PANELS TO BE SECURED / FIXED

Architectural elevation drawing of the interior walls of a church, showing three stained glass windows with tracery. The drawing includes dimensions and a note: "THREE STAINED GLASS PANELS TO BE SCROLL PAVED". The drawing is oriented horizontally on the page.

Dimensions and labels:

- 10820 (height of the wall section)
- 5535 (height of the first window)
- 6455 (height of the second window)
- 2250 (width of the first window)
- 11500 (width of the second window)
- 3440 (width of the third window)
- 10820 (height of the wall section)

Text note: THREE STAINED GLASS PANELS TO BE SCROLL PAVED

CROSS SECTION A-A

CUT LIMESTONE EAVES AND WINDOW REVEAL DETAILS

STONE FINISHED STRUCTURE PROPOSED SPIRE WITH SLATE FINISH

11.5M - EXISTING BASE STRUCTURE TO BELLTOWER / SPIRE

14780

CROSS SECTION C-C

14785

720

565

3220

3893

2510

2820

1670

600

500

3300

1500

2892

5535

2892

10820

6950

4820

PROPOSED RESTORATION, LOCAL RE-POINTING OF EXISTING EXTERNAL MASONRY WALL FINISH

PROPOSED RESTORATION OF STONE ROSS AND RE-POINTING OF STONE SUPPORTS

NEW ARRANGEMENT AND FINISHES TO EXISTING STONE WALLS, HARDWOOD VENEERED FINISH AND TIMBER FRAME INCORPORATING STORAGE FOR MUSICAL EQUIPMENT

BALUSTERING TO BACK OF TERRACE AND STAIRWELL

TUBED CEILING PANELS TO BE SECURELY FIRED

INTERNAL WALLS OF CHURCH TO BE BREATHABLE PAINT AS PER RECOMMENDATIONS

ACCESSIBLE RAMP INCORPORATED INTO LIMESTONE PAVING AND STOPS WITH CAST IRON RAILINGS

SIDE / NORTH WEST ELEVATION

PROPOSED WHEELCHAIR ACCESSIBLE RAMP INCORPORATE INTO LIMESTONE PAVING AND STEPS WITH CAST IRON RAILINGS

CROSS SECTION B-B

PROPOSED HARDWOOD
BALUSTADING TO BACK OF
TIERING AND STAIRWELL

NEW ARRANGEMENT AND FINISHES
TO IMPROVE THE APPEARANCE OF
HARDWOOD VENEERED FINISH AND
UPHOLSTERY SEATING TIED TO
TIMBER FRAME INCORPORATING
STORAGE FOR MISCELL. EQUIPMENT.

NEW ARRANGEMENT AND FINISHES TO EXISTING GALLERY TIERING WITH HARDWOOD VENEERED FINISH AND UPHOLSTERY SEATING FIXED TO TIMBER FRAME INCORPORATING STORAGE FOR MUSICAL EQUIPMENT.

PROPOSED STONE PAVING
AREA TO MAIN ENTRANCE
TO CHURCHILL LIMESTONE QUARRY

RECOMMENDATIONS

10620

6950

695

696

INTERNAL WALLS OF CHURCH TO BE PAINTED WITH BREATHABLE PAINT AS PER RECOMMENDATIONS

10620

6250

4520

THREE WALLING PANELS TO BE SECURELY FIXED

INTERNAL WALLS OF CHURCH TO BE PAINTED WITH BREATHABLE PAINT AS PER RECOMMENDATIONS

10620

6250

4520

THREE WALLING PANELS TO BE SECURELY FIXED

SIDE / SOUTH EAST ELEVATION

REAR / NORTH EAST ELEVATION

**PROPOSED SPIRE / BELLTOWER TO
THE CHURCH OF THE IMMACULATE CONCEPTION, KINGSCOURT**

VIEWS FROM CHAPEL LANE



EXISTING VIEW



PROPOSED VIEW

**PROPOSED SPIRE / BELLTOWER TO
THE CHURCH OF THE IMMACULATE CONCEPTION, KINGSCOURT**

VIEWS FROM KELLS ROAD



EXISTING VIEW



PROPOSED VIEW